

**(§**) +48 600 100 600

bruksa.com



# About us

### BRUK SA – 30 years of experience

Manufacturer of BRUK Premium decorative pavers, industrial pavers and concrete products for road construction, as well as precast concrete products for industrial construction and property development. The company has been operating for more than 30 years on the basis of the latest production technologies, quality expectations, market trends and in harmony nd respect for the environment.



### Providing the best solutions

Concrete pavers are the most popular material for finishing the garden or the area around the house. Why is that? It's due to high durability, rich colourpalette and variety of paving shapes. The wide range of choices, combined with unlimited imagination, makes it possible to create aesthetically pleasingas well as original compositions. Smooth or washed pavers, large slabs or classic, smaller blocks, mono-colours or a mix of colours, decorative palisadesor traditional edging? For us, it's not a problem - it's a passion to create. Recipients of our products are able to choose paving blocks according to theirown tastes, vision or previously prepared designs. Our BRUK Premium range of decorative pavers is constantly being enriched with new designs, givingour customers many possibilities to arrange their surroundings. Customer satisfaction with our products is always our priority. Thanks to our constantlyimproving modern production lines - the newest line opened in 2020 - we are able to meet the expectations of the most demanding customers.

### We are at your service

We constantly ensure professional customer relations. You can benefit from the support of a professional Team for whom the realisation of the expectations of each and every investor is a real pleasure. In addition to accessing high-quality products corresponding to the latest trends, ourcustomers are supported by Landscape Architects who visualise all expectations regarding the planned investment space. A large group of distributorsconstantly cooperates with BRUK SA and we continue to engage with the best paving block dealers on the southern Polish market. The availability of material is a key consideration for us. Our delivery trucks equipped with an unloading crane are always operational and ready for use.

### We are defined by quality

All our products comply with European standards: PN-EN 1338, PN-EN 1339, PN-EN 1340, PN-EN 13198. The products we offer have been verifiedby quality tests, updated on an ongoing basis by the AGH University of Science and Technology in Kraków, and confirmed with relevant certificates



Decorative block paving

• Modern	6
• Lastra	8
• Lastra Quadro	10
• Futura	12
• Magra	14
• Entrada	16
• Eko Bruk	18
• Neo	20
• Lunga	22
• Ligio	24
• Akropol	26
• Portillo	28
• Grenada	30
• Nostalit	32
• City Line	34
<ul> <li>Stair treads – Ariba</li> </ul>	36
Fencing	

Fence blocks	38
Fence post caps	38

Palisades and decorative edging

Quadro edging	40
Trio edging	40
Decorative kerbstone	41
Nostalit palisade	41
Round palisade	4]



#### Industrial block paving

Behaton	42
Holland	44
Kerbs	46
Road gutters	46
Edging	48
Paving slabs	49
Openwork paving	49

#### Precasting

Precast products	50
Road and track slabs	52
Our products	54
Certificates	55
Completed projects	56
Points of sale	57
Supplementary documentation	58





# Colours

# Colormix

chocolate











autumn shades



malibu





anthracite

brown





grey

yellow

# Washed





anthracite

white



granite





sahara

latte

# Monocolor



anthracite

white

# bruksa.com

#### Colours







sand







# Modern

# Unique and modern

The modern form and shape of these paving blocks makes it possible to create uniquecompositions, emphasising the qualities of the surrounding area. The different surfacetextures, finished with fine micro-chamfering, create combinations that give a unique andmodern character to many a driveway or terrace.



#### Colours

- Standard:
- anthracite
- brown
- red
- grey
- yellow
- Monocolor:
- anthracite
- white
  - - Iunamalibu
    - sahara

latte

Color

Washed:

white

sand

• granite

Colormix:

chocolate caramel

• autumn shades

anthracite

Shapes and dim	nensions	
210 × 120 × 60	260 × 120 × 60	190 × 160 × 60
290 × 160 × 60	250 × 200 × 60	320 × 200 × 60

Thickness [cm]	Texture	Finis
6	smooth / washed	microcha



### bruksa.com



#### Decorative block paving







# Modern form

LASTRA is designed for finishing terraces, but will also work well for larger areas. It makes it possible to create an original composition and a unique atmosphere.



#### Colours



Colormix:

chocolate

- Monocolor:
- anthracite
- white
- caramel autumn shades
- latte
- luna
- malibu
- sahara

#### Shapes and dimensions





Thickness [cm]

7 (60 × 40)









Texture

smooth





microchamfered

Number of pieces or m<sup>2</sup> per pallet 9,6 / 40 szt.

Pallet weight [T]





# Lastra Quadro



### Regular shape

A terrace paver in a regular, square form that makes a tasteful and smooth surface. It creates a highly harmonious space which, with its simplicity and elegance, catches the eye of every visitor. Colours

Monocolor: • anthracite

- anthracite
   white
   caramel
  - autumn shades
  - latte

C.010

Colormix:

- luna
- malibu
- sahara

#### Shapes and dimensions



400 × 400 × 70

Thickness [cm]

7 (40 × 40)





### bruksa.com



Texture

smooth

#### Terrace pavers

Finish

microchamfered

Number of pieces or m<sup>2</sup> per pallet 9,6 / 60 szt.

Pallet weight [T]







# Futura

# Simplicity and modern elegance

FUTURA is another new addition to the BRUK Premium range. The simple andelegant modules and the contemporary design fit perfectly in a modern buildingenvironment in driveways, pavements and alleys, car parks or public spaces. Therich colour range offers many possibilities for designers and discerning investorsalike.

#### Colours

#### Standard:

- anthracite
- brown
- red
- grey
- yellow



Washed:

- anthracite
- white
- sandgranite
- llow
- Colormix: • chocolate
- caramel
- autumn shades
- latte
- luna
- malibu
- sahara



#### 98 × 198 × 60 / 80 198 × 198 × 60 / 80



198 × 298 × 60 / 80







#### Decorative block paving



sh	Number of pieces or m <sup>2</sup> per pallet
mfered	11,81
mfered	9,66

#### Pallet weight [T]

ok. 1,51 ok. 1,72







# Magra

### Beauty and simplicity

The 5 cm thick paver is ideal for terraces and pavements around the house. Available in a full range of colours so that matching the shade to the façade will not cause any problems. The proportional rectangle gives the area around the house a distinctive, elegant finish.



#### Colours

- Standard:
- brown
- red
- grey
- yellow

white

- Monocolor:
- anthracite caramel
  - autumn shades

C0/0

Washed:

white

sand

• granite

Colormix:

chocolate

anthracite

- latte
- luna
- malibu
- sahara

### Shapes and dimensions



600 × 300 × 50

Thickness [cm]	Texture	Finis
5	smooth	microchai



### bruksa.com



#### Terrace pavers

sh

mfered

Number of pieces or m<sup>2</sup> per pallet 12,96

#### Pallet weight [T]







# Entrada

# Unique and elegant

Thanks to their size, the large pavers are ideal for driveways, gazebos and sheds. Their solid construction and the use of nanochamfering make it possible to create a perfectly smooth surface, which can be topped off with the equally elegant Ariba stair treads from the latest BRUK Premium collection.



#### Colours

- Standard:
- brown
- red
- grey
- yellow

white

- Monocolor:
- chocolate caramel • anthracite
  - autumn shades

Colc

Washed:

white

sand

• granite

Colormix:

anthracite

- latte
- luna
- malibu
- sahara

Shapes and dimensions



900 × 600 × 80

Thickness [cm]	Texture	Finish
8	smooth	nanochamfered



### bruksa.com



Driveway paver

sł	١		

Number of pieces or m<sup>2</sup> per pallet 8,64

Pallet weight [T]







# Eko Bruk

### Eco style

EKO BRUK paving blocks were developed to create decorative surfaces in public andprivate spaces. They meet building standards for both pedestrian and light vehiculartraffic routes. Thanks to the use of spacers, which are invisible after grouting, the surfacelaid with EKO BRUK paving blocks becomes biologically active, i.e. permeable to rainwater. The use of different types of infill in the spaces between the blocks makes it possible tocreate decorative or grassy surfaces.

#### Colours

#### Standard:

- anthracite
- brown
- red
- grey
- yellow
- luna malibu

latte

Colormix:

caramel

chocolate

• autumn shades

sahara

#### Shapes and dimensions



200 × 200 × 80

Thickness [cm]

8





### bruksa.com



Texture

smooth

Terrace pavers



Finish

chamfered

Number of pieces or m<sup>2</sup> per pallet

10,71

Pallet weight [T]

ok. 1,67



19





# 

# Modern Elegant Original

Inspiration comes from nature, culture and fashion. They are the ones that trigger ourdesire to create. The NEO paver allows anyone to create any arrangement and realisetheir vision. The simple groutless finish and the three elements that make up the systemresult in paving with a timeless look. It is ideal for a variety of styles from classic tomodern.



- Standard:
- anthracite
- brown
- red
- grey
- yellow



C0/0

Washed:

white

sand

granite

anthracite

- chocolate
- caramel autumn shades
- latte
- luna
- malibu
- sahara





70 × 140 × 60 140 × 140 × 60



210 × 140 × 60

Thickness [cm]	Texture	Finisł
6	smooth / washed	unchamf



### bruksa.com



#### Decorative block paving







# Lunga

# Italian style

The collection of elongated pavers will look great around modern buildings. Due to theirlength, the pavers visually enlarge the surface area and are therefore ideal for pavingaround properties, in gardens or on terraces. Colours

#### Standard:

- anthracite
- brown
- red
- grey
- yellow
- chocolate caramel

Colormix:

white

Colo

Monocolor:

anthracite

- autumn shades
- latte
- luna
- malibu
- sahara



417 × 170 × 60

Thickness [cm]	Texture	Finish	Number of pieces or m <sup>2</sup> per pallet
6	smooth	unchamfered	10,2
6	smooth	microchamfered	10,2





bruksa.com

#### Decorative block paving

#### Pallet weight [T]

ok. 1,27 ok. 1,27







# Versatility in a large format

The consistent sizes of the LIGIO pavers are ideal when pavements are subjected toincreased wear and tear with the need for a large format.It is an ideal set of three pavers that look great in urban spaces, replacing classic,outdated and time-worn materials with modern and unusual colours anddurability.





Colours

- Monocolor:
- anthracite
- white
- caramel
- autumn shades
- latte

Colo

Colormix:

chocolate

- luna
- malibusahara





200 × 400 × 60 400 × 400 × 60



600 × 400 × 60

Thickness [cm]	Texture	Finis
6	smooth	unchamf



### bruksa.com



Terrace pavers



ok. 1,58

12

fered







# Classic and elegant surface

A distinguishing feature of the AKROPOL paving blocks is their fine, wavy texture, while the micro-chamfered finish definitely enhances the comfort of use. Thanks to theoriginal design, AKROPOL paving blocks will decorate any property. The paving looksgreat on garden paths, terraces or driveways, delighting many a passer-by.



- Standard:
- anthracite
- brown
- red
- grey



- anthracite
- white
- sand
- yellow



- Colormix:
- chocolate caramel
- autumn shades
- latte
- luna
- malibu
- sahara





104 × 139 × 60 / 80 122 × 139 × 60 / 80 139 × 139 × 60 / 80 157 × 139 × 60 / 80



174 × 139 × 60 / 80 192 × 139 × 60 / 80 209 × 139 × 60 / 80

Thickness [cm]	Texture	Finish
6	smooth / washed	microcham
8	smooth / washed	microcham









#### Decorative block paving







#### Pallet weight [T]

ok. 1,50 ok. 1,71





# Portillo

# Functionality and modernity

PORTILLO paving is a combination of modernity and timeless elegance. It is ideal forprivate properties, but thanks to its classy design, also for representative locations. The availability of pavers in many sizes makes it possible to create original designs that will further enhance the property.

#### Colours

- Standard:
- anthracite
- brown
- red
- grey
- yellow





- white
- sand

- granite
- Colormix:
- chocolate caramel
- autumn shades
- latte
- luna
- malibu
- sahara





53 × 73 × 91 × 60 63 × 83 × 91 × 60 73 × 93 × 91 × 60



83 × 103 × 91 × 60 93 × 113 × 91 × 60

Thickness [cm]	Texture	Finisł
6	smooth / washed	unchamf







#### Decorative block paving









# Grenada

# Neat, durable finish

GRENADA paving blocks are reminiscent of old cobblestones thanks to their irregularsurface. The paving works well as a neat and durable finish for urban pavements as well asin large car park areas. The thickness of the paving allows it to be used by heaviervehicles. The multiplicity of shapes and dimensions of the pavers offers a wide range of possibilities for creating various designs.



grey

Standard: • anthracite







191 × 131 × 80

Thickness [cm]

8

216 × 131 × 80

Texture

smooth / washed





### bruksa.com



#### Decorative block paving



Finish

Number of pieces or m<sup>2</sup> per pallet

unchamfered

8,65

#### Pallet weight [T]





# Nostalit

### Natural, traditional style

The shape of NOSTALIT paving blocks brings to mind the aesthetics of oldmarket squares paved with granite blocks.A distinctive feature of the paving is the rounded edges between the front and side surfaces. The smooth surface of the paver and the closely fitting sides giveit an interesting character.



#### Standard:

- anthracite
- brown
- red
- grey
- yellow
- chocolate
- caramel

C.010

Washed:

white

sand

• granite

Colormix:

anthracite

- autumn shades
- latte luna
- malibu
- sahara



88 × 118 × 60 118 × 118 × 60



118 × 178 × 60



Texture	Finish
smooth / washed	unchamfe





### bruksa.com



#### Decorative block paving





Number of pieces or m<sup>2</sup> per pallet

ered

11,98

Pallet weight [T]







# City Line

# Urban opportunities

Modern design and refined minimalism are ideal design solutions, especially inurban spaces. Designed for those who appreciate universalism but alsosimplicity, which will undoubtedly complement many surroundings. It will beperfect for driveways, pavements and paths around the house.











grey

bruksa.com



Texture

smooth

Thickness [cm]

8

Finish

Number of pieces or m<sup>2</sup> per pallet

microchamfered

10,48

Pallet weight [T]





# Ariba - stair tread



# Modern and stylish

Stair treads that are extremely durable and weatherproof. Standard: Monocolor:Thanks to their modularity, they are easy to incorporate and create anelegant entrance to the house, backyard terrace or garden steps. Theavailable colour palette allows perfect combinations with pavers, slabsand decorative edging from the BRUK Premium collection.



Standard: • brown

Colormix:

• luna

• malibu



Monocolor: • anthracite • white

#### Shapes and dimensions



1000 × 350 × 150

Thickness [cm]

15





bruksa.com



Texture

smooth

#### Stair treads







# Fencing

# Minimalism and beauty

Smooth concrete fencing is an exclusive product with a unique surface thatblends perfectly with modern buildings and makes it possible to create aninteresting fence. This is ideal for everyone who appreciates minimalismand beauty in their surroundings. Simple and quick installation, top qualityand durability are undoubted assets.

#### Colours

Monocolor:

- anthracite white
- chocolate caramel

Colormix:

C.01

- autumn shades
- latte
- luna • malibu
- sahara







1000 × 200 × 200 500 × 200 × 200 1000 × 200 × 80

500 × 200 × 50

Thickness [cm]	Texture	Finish	Number of pieces or m <sup>2</sup> per pallet	Pallet weight [T]
block (50 × 20 × 20)	smooth	microchamfered	50	ok. 1,25
block (100 × 20 × 20)	smooth	microchamfered	25	ok. 1,19
post cap (50 × 20 × 5)	smooth	chamfered	100	ok. 1,13
post cap (100 × 20 × 8)	smooth	chamfered	40	ok. 1,44





#### Fencing system







# Edging and kerbs

#### Quadro decorative edging



Only available in standard colours

480 × 280 × 80

#### Tri decorative edging



500 × 280 × 80







Colours

Monocolor:



Standard:

• anthracite

- white
- brown
  - grey

#### Decorative kerb



100 × 124 × 300 100 / 75 × 124 × 300 75 / 100 × 124 × 300

Nostalit palisade

Round palisade



400 × 160 × 100



400 × 110

bruksa.com



#### Colours

#### Standard:

- anthracite
- brown
- grey

#### Colormix:

- chocolate
- caramel
- autumn shades
- latte
- luna
- malibu







# Behaton

# Superior durability

This solid paver with a fixed geometric layout works well for creating large car parkareas, estate roads, manoeuvring areas or supermarket driveways. BEHATON pavingblocks make it possible to create horizontal markings on carriageways or car parks, and the availability of pavers in the form of halves and ends speeds up the laying workconsiderably.

#### Colours

#### Standard:

- anthracite
- brown
- red
- grey
- yellow



75		N	
	F	7	Z
5	Y	A	7
$\wedge$	5	5	/



### bruksa.com

Color chart see p. 4–5

100 × 162 × 80		
Thickness [cm]	Texture	Finish
6	smooth	chamfer
8	smooth	chamfere unchamfer microcham
8 halves	smooth	chamfere unchamfe
8 ends	smooth	chamfere unchamfe
10	smooth	unchamfe

#### Industrial block paving



Finish	Number of pieces or m <sup>2</sup> per pallet	Pallet weight [T]	
amfered	11,44	ok. 1,46	
mfered / amfered  / chamfered	9,36	ok. 1,67	
mfered / namfered	8,82	ok. 1,57	
mfered / namfered	9,72	ok. 1,72	
namfered	7,28	ok. 1,62	43





# Holland

# Classics and minimalism

This paving is extremely popular in countries such as Germany, the Netherlands and Austria, where it is most often laid in car parks and petrol stations. The classic and minimalist form of the brick gives many compositional possibilities. Colours



Standard:

- anthracite
- brown
- red
- grey
- yellow





100 × 100 × 60 / 80 100 × 200 × 60 / 80

	~	>	>
	>		-
1-1			
		-	
			>
-	K	-	A State of the
- in	~		>
	and the second second		
	1	~	
A	1		
	and the second	Contraction of the	~
			PHAR A
		A.	
George Parts	Ser Charles	- m	
Constant of the	V Barris		1000



bruksa.com



Texture

smooth

smooth

tactile

Thickness [cm]

6

8

8 integrative

#### Industrial block paving



Finish	Number of pieces or m <sup>2</sup> per pallet	Pallet weight [T]	
chamfered	11,88	ok. 1,52	
chamfered / unchamfered / microchamfered	9,72	ok. 1,71	
chamfered	9,72	ok. 1,72	







# Kerbs

Sloping kerb





220 / 300 × 150 × 1000 220 / 300 × 200 × 1000

Bullnose kerb





150 × 220 × 1000



Triangular road gutter



500 × 330 × 200 / 180



600 × 500 × 150



Color chart

bruksa.com



Concrete kerb





R3

150 × 300 × 1000 200 × 300 × 1000 150 × 300 × 500 200 × 300 × 500





R5 150 × 300 × 780





Kerbs





# Slabs and openwork

Paving slabs



350 × 350 × 60 500 × 500 × 70

Open work



400 × 600 × 80 4

400 × 600 × 100

Fencing barrier



155 / 445 × 500 × 580

Concrete fencing barrier is used in civil engineering to prevent faunafrom entering the road perimeter and to guide fauna throughanimal crossings.

Only available in grey

# 🔇 +48 600 100 600

# Edging

#### Obrzeża



Concrete kerb



Only available in grey

120 × 250 × 1000 200 × 400 × 1000



Color chart see P. 4–5

Colours

Standard:

red grey

anthracite brown

### bruksa.com

#### Colours

Standard:

- anthracite
- grey







# Precast products

# Specialised precast concrete products for the construction industry

We will fulfil any order, regardless of the size and tonnage of the precast product. Ourcustomers can count on our support at every stage of their investment project.

#### Experience

We are one of the leading, respected Polish manufacturers of precast concreteproducts. Since 2007, based on the latest technologies, we have been supplying the domestic and foreign markets with the highest-quality concrete elements forresidential and industrial construction. Confirmation of the high quality of our products and our professional approach can be found in the certificates we have obtained, aswell as in our ever-growing group of satisfied customers.





#### **REDUCED LEAD TIMES FOR YOUR INVESTMENT PROJECT**

The use of precast products minimises additional labour on site, eliminates the need for formwork and reduces the storage of materials on site.

#### HIGH PRECISION OF MANUFACTURED PARTS

The use of modern technology guarantees a smooth surface of the concrete element.

#### **REDUCED INVESTMENT COSTS**

The use of precast elements speeds up construction, significantly reduces labour costs and guarantees high quality.

# We adapt the precast elements to the customer's needs, taking into account different systems:

- handrail fixings
- drains
- vibration damping

and any other in accordance with the customer's guidelines.



bruksa.com

#### Prefabrykaty







# Road and track slabs

# Precast tramway slabs are manufactured as:

• track slabs - designed to accommodate rails

intertracks - to be used in the intertrack

Precast reinforced concrete road and track slabs for use inintegrated track and road areas are manufactured as JB-T type slabs and are suitablefor tracks with a track gauge of 1435 mm and as JB-W type slabs suitable for tracks witha track gauge of 1000 mm. All slabs are availablein thicknesses of 40 cm, 35 cm and 30 cm. They are produced in four basic lengths:1000 mm, 1500 mm, 3000 mm and 4000 mm.

For both track and intertrack slabs, there are special slabs (cable, drainage, withintegrated cast iron manhole).

Trapezoidal slabs of 0.67 m and 1.0 m in length are designed for installation on curves with a radius of R< 60 m.





Depending on the specific project, combinations of the above-mentioned standard slab types are possible, as well as the manufacture of each slab in a different non-standard length.

Road and track slabs are finished in a way that provides the right surface roughness.

In special cases, it is possible to use other dies to give the slab surface any texture according to the order specifications: e.g. rhombus, cobblestone, etc.



🔇 +48 600 100 600

### bruksa.com









# OUP products



#### industrial construction

- foundations
- retaining walls
- platform walls
- spot footings
- interlocking 'lego' blocks
- road slabs
- slope steps
- beams
- walls





### residential, office buildings

• straight and winder flights of stairs • flights of stairs with one or two landings • positive and negative space flights of stairs landings fire protection walls • balcony slabs lift shafts beams • walls, walls with door and window openings



# Certificates



t	Certyfikat
di .	Zgodneści Zakładowej Kontroli Produkcji rz 2311-CPR-174
Angewith .	PRETABLISHED AND AND AND AND AND AND AND AND AND AN
hardford (Charles	With State and State
	Energy and the second s
	er, Geptensene 19, 42 7, 41 telev yndexegenieter palaer ul. Geptenkenia (19, 42) 734 telev
ndandenskan Karnstan Maria	A production of the second sec
Ê.z.,	Analasa ana analasa ana analasa ana analasa ana analasa ana analasa ana analasa analasa analasa analasa analas Analasa analasa analasa Analasa analasa

# Our clients





#### Prefabrykaty





# Completed projects

#### Potsdam

Berlin



#### Warszawa – Złota 83



Quorum – Wrocław – Gen. Sikorskiego



Ocean Office Park – Kraków – Pana Tadeusza



Wrocław – Jaskółcza



Poznań – Dmowskiego



Wrocław – Legnicka



Kraków – os. Górka Narodowa



Katowice Szybowcowa

Poznań





# Points of sale



We guarantee that all our products are made with the utmost care, according to current standards, using the latest materials and technology. Details of the guarantee and conditions of sale can be found at bruksa.pl

- 1. The paving blocks and concrete products manufactured at our plant are construction products. In accordance with the Construction Products of 16 April 2004, which meets the requirements of Polish and European standards: PN-EN1338; PNEN1339; PN-EN1340.
- 2. A Declaration of Performance is issued for each product and is available on request.
- 3. All products delivered to the customer feature a label confirming the parameters of the ordered materials.
- 4. The declared technical and performance parameters indicated on the label and in the Declaration of Performance in each case are achieved by the concrete products 28 days after the date of manufacture.
- 5. De-icing agents and surfactants should be used at the appropriate concentrations and after prior consultation with the manufacturer.
- 6. The use of the products should be in accordance with the manufacturer's recommendations found on the product label. Assembly and installation of the material should be carried out in accordance with the manufacturer's installation instructions. Use of the products for purposes other than those specified by the manufacturer is forbidden; in addition, failure to follow the installation instructions may result in damage to the material and the loss of warranty and guarantee rights.

### We manufacture non-standard precast elements according to the investor's individual design



The following product features comply with the aforementioned European standards and are considered to be insignificant and do not constitute a product defect within the meaning of the Civil Code:

#### Lime scale deposits (efflorescence)

are formed on the surface of the pavers as a result of the physicochemical processes occurring during the maturation of concrete. Thisdoes not compromise the performance of the pavers and light limedeposits disappear after a maximum of three years. There are products available on the market to remove efflorescence from pavers that havealready been laid.

#### Hairline micro-cracks

Hairline micro-cracksunnoticeable on dry products, but visible when thepaver dries.

#### Flash

the top edge of the products may exhibit so called flash, which result from the normal use of the mould and punches. It starts tocrumble away while the paving is laid and is gonecompletely after a short period of use.



#### Minor mechanical damage

cracks, chipping, scratches, surface abrasions may occurduring transport and packing, unloading and laying of the paving blocks. According to studies, up to 2 % of such damage is permissible duringloading and unloading with cranes, which needs to be taken intoaccount when ordering, and we are not responsible for damagecaused during installation

#### Difference in paving shades

(even of the same production batch) do not depend on themanufacturer and are influenced by the following factors: the quality of the pigments, the colour of the cement, the colour of theaggregates, the temperature, the conditions in which the concretematures and the use of the paving blocks.

#### Pores

small indentations determined by the productionprocess.





42-714 Lisów ul. Częstochowska 19 **sekretariat@bruk**sa.pl **bruk**sa.com